


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION	4/19/2016	SM	JAG
2	16-0158	-1 ADDED DIM .70. -3 CH'D B/O INFORMATION WAS PROTO # J88336 MODIFIED, IS (PROTO # JP0306R) MODIFIED; ADDED DIM (1.36); CH'D DIM WAS (6.31) IS (6.73).	10/11/2016	SM	JAG



# NOTES:


1. REF. AGUSTA T/N: 3G5605G00251.
2. USED IN KIT RBW5605G00132-3G.

<b>DART</b> AEROSPACE	
TITLE <b>SEAL INSTALLATION TOOL</b>	
DWG NO. <b>RBW5605G00251-3G</b>	REV <b>2</b>
MAT'L TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125°
DRAWN BY: <b>MACKOVJAK</b>	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: <b>CLOUGH</b>	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: <b>ANDERSON</b>	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: <b>LINDSAY</b>	USED ON MODEL
APPROVED: <b>GILBERT</b>	AGUSTA AW139
SCALE <b>1:2</b>	DATE <b>4/8/2016</b>
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	HOOK	304		2
			-3	1	HANDLE		(PROTO # JP0306R) MODIFIED	3

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	16-0158	-1 ADDED DIM .70.	10/11/2016	SM	JAG




VIEW A-A

(-1)  
HOOK

<b>DART AEROSPACE</b>	
TITLE <b>SEAL INSTALLATION TOOL</b>	
DWG NO. <b>RBW5605G00251-3G-1</b>	REV <b>2</b>
MAT'L 304	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± .5°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: MACKOVJAK	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 3:2	DATE 4/8/2016
	SHEET 2 OF 3

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0158	-3 CH'D B/O INFORMATION WAS PROTO # J88336 MODIFIED, IS (PROTO # JP0306R) MODIFIED; ADDED DIM (1.36); CH'D DIM WAS (6.31) IS (6.73).	10/11/2016	SM	JAG



(-3)

HANDLE

<b>DART AEROSPACE</b>	
TITLE <b>SEAL INSTALLATION TOOL</b>	
DWG NO. <b>RBW5605G00251-3G-3</b>	REV <b>2</b>
MAT'L REAT TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°
DRAWN BY: <b>MACKOVJAK</b>	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: <b>CLOUGH</b>	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: <b>ANDERSON</b>	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: <b>LINDSAY</b>	USED ON MODEL
APPROVED: <b>GILBERT</b>	<b>AGUSTA AW139</b>
SCALE <b>2:3</b>	DATE <b>4/8/2016</b>
SHEET 3 OF 3	